

TREEFROGS

The Hylidae are a large family widespread worldwide. They are especially well represented in the New World. These frogs have long, slender limbs and adhesive discs on their fingers and toes. Most are arboreal and nocturnal. Many gather to breed in noisy choruses.



SPLENDID LEAF FROG
Cruziohyla calcarifer

This frog occurs in C. and northern S. America and lives high up in trees. It glides from one tree to another, using its extended webbed feet as parachutes.

7–9 cm
2¾–3½ in



AMAZON MILK FROG
Trachycephalus resinifictrix

Living high in the canopy of S. American forests, this frog deposits its eggs in water-filled tree-holes, where the tadpoles then develop into froglets.

5.5–11 cm
2¼–4¼ in



FRINGE-LIMBED TREEFROG
Ecnomiohyla miliaria

This large C. American treefrog has fringes of skin on the limbs that may enable it to glide from one tree to another.



RUFIOUS-EYED STREAM FROG
Duellmanohyla rufiocularis

Found in forests of Costa Rica, this frog breeds in fast-flowing streams. Its tadpoles have a modified mouth with which they attach themselves to rocks.

2.5–4 cm
1–1½ in



ROSENBERG'S GLADIATOR FROG
Boana rosenbergi

Males of this C. and S. American frog dig pools in damp ground in which the eggs are laid. They defend them against rivals in fights that can be fatal.

5.5–7.5 cm
2¼–3 in



BOULENGER'S SNOURED TREEFROG
Scinax boulengeri

Found in C. America and Colombia, this frog breeds in temporary pools created after rain. Males return night after night to the same calling perch to attract mates.

3.5–5.5 cm
1½–2¼ in



SPRING PEEPER
Pseudacris crucifer

Found in moist woodland in the E. USA and Canada, the spring peeper's distinctive high-pitched call indicates that spring is underway.

2–3 cm
¾–1¼ in



ORANGE-LEGGED LEAF FROG
Phyllomedusa hypochondrialis

A native of dry habitats in northern S. America, this climbing frog reduces water loss by rubbing a waxy secretion over its skin.

4–5 cm
1½–2 in



CUBAN TREEFROG
Osteopilus septentrionalis

Native to Cuba, the Cayman Islands, and the Bahamas, this treefrog has been introduced to Florida, where it preys on native frogs, reducing their population.


2.5–10 cm
1–4 in



PARADOXICAL FROG
Pseudis paradoxa

This aquatic frog is so named because its tadpoles are four times longer than the adult. It is found in S. America and Trinidad.

5–7 cm
2–2¼ in



COMMON TREEFROG
Hyla arborea

Males of this European treefrog gather in spring, calling in loud choruses to attract females. Mating pairs descend to lay eggs in nearby ponds.

3–5 cm
1¼–2 in



LEMUR FROG
Agalychnis lemur

This C. American treefrog is nocturnal, sleeping on the underside of leaves during the day. It lays its eggs on leaves over water.

3–5 cm
1¼–2 in



RED-EYED TREEFROG
Agalychnis callidryas

An excellent climber, this treefrog mates in trees overhanging water. It lays its eggs on leaves and, upon hatching, the tadpoles fall into the water.

4–7 cm
1½–2¼ in



GIANT BROAD-HEADED TREEFROG
Osteocephalus taurinus

This arboreal frog lives in S. American forests. It mates after rain, and lays its eggs on the surface of pools.

7–10 cm
2¾–4 in

