





60–87 cm
23½–34 in

WESTERN CAPERCAILLIE
Tetrao urogallus
F: Phasianidae

Found in western Eurasian coniferous forests, this is the largest member of the grouse family. Males display to females with rattling, popping calls.



34–36 cm
13½–14 in

ROCK PTARMIGAN
Lagopus muta
F: Phasianidae

One of three related grouse that turn white in winter, the rock ptarmigan is a tundra and mountain bird with a circumpolar distribution.



38–41 cm
15–16 in


RED GROUSE
Lagopus lagopus scotica
F: Phasianidae

Unlike most ptarmigan species, this British race of the widespread circumpolar willow grouse does not turn white in winter.

pale grey
tail feathers

KALIJ PHEASANT
Lophura leucomelanos
F: Phasianidae

This pheasant occurs in forests from the Himalayas to Myanmar. There is also an introduced population in the Hawaiian Islands.




55–75 cm
22–30 in

SIAMESE FIREBACK
Lophura diardi
F: Phasianidae

Like many pheasants, this S.E. Asian bird has bare, red facial skin. As with other species of *Lophura*, this feature is common to both sexes.



60–80 cm
23½–32 in



60–70 cm
23½–28 in

SATYR TRAGOPAN
Tragopan satyra
F: Phasianidae

This is a Himalayan species of *Tragopan*, a genus of Asian tree-nesting pheasants. Male tragopans have an expandable fleshy lappet and horns that are used for display.



53–89 cm
21–35 in

COMMON PHEASANT
Phasianus colchicus
F: Phasianidae

Native to the woodlands of C. and E. Eurasia, this species has been introduced into western Europe, where it is now common in farmland.



60–120 cm
23½–47 in

LADY AMHERST'S PHEASANT
Chrysolophus amherstiae
F: Phasianidae

Like many other pheasants, only males of this species have spectacular plumage, and only females care for the young. This bird is from China and Myanmar.



40–50 cm
16–20 in

PALAWAN PEACOCK-PHEASANT
Polyplectron napoleonis
F: Phasianidae

Male peacock-pheasants lack the long plumes of their peafowl relatives, but display tail feathers marked with iridescent eyespots.



0.8–2.2 m
2½–7¼ ft

INDIAN PEAFOWL
Pavo cristatus
F: Phasianidae


This tropical Asian species occurs in India and Sri Lanka. Males court females by raising their long plumes, which are just above the tail.



41–78 cm
16–31 in

RED JUNGLEFOWL
Gallus gallus
F: Phasianidae

Unlike related francolins, males of this Asian ancestor of domestic chickens mate with many females. They have a comb and wattles, which are absent in females.



1.1–1.2 m
3½–4 ft

WILD TURKEY
Meleagris gallopavo
F: Phasianidae

Turkeys are large, wattled gamebirds native to N. America. This species from the S. USA is the ancestor of domesticated turkeys.

bald head