


» BIRDS OF PREY



43–47 cm
17–18½ in

MONTAGU'S HARRIER
Circus pygargus
F: Accipitridae


Eurasian harriers, such as the Montagu's harrier, migrate to Africa and S. Asia. This species inhabits grassland and reed beds.



48–56 cm
19–22 in

WESTERN MARSH HARRIER
Circus aeruginosus
F: Accipitridae

The males of this species are brown, like the females, with grey on their wings and tail. Males of other harrier species are all grey.



44–52 cm
17½–20½ in

NORTHERN HARRIER
Circus hudsonius
F: Accipitridae

Harriers are characterized by a narrow tail; narrow, pointed wings; and long legs. This species is widespread in North America.



30–37 cm
12–14½ in

LIZARD BUZZARD
Kaupifalco monogrammicus
F: Accipitridae


A native of the African savanna, this bird mostly preys on large insects, such as grasshoppers, but also eats small vertebrates.



63–68 cm
25–27 in

BLACK-BREASTED SNAKE EAGLE
Circaetus pectoralis
F: Accipitridae

A bird of African grasslands, this eagle feeds on lizards and small mammals as well as snakes.



48–62 cm
19–24 in

NORTHERN GOSHAWK
Accipiter gentilis
F: Accipitridae

This large hawk from N. America and Eurasia is capable of manoeuvring through tall trees to catch squirrels and grouse.



28–40 cm
11–16 in

EURASIAN SPARROWHAWK
Accipiter nisus
F: Accipitridae

One of nearly 50 species of *Accipiter* hawks, this hunter of small birds is found in woodland habitats from Europe to Japan.



25–35 cm
10–14 in

SHIKRA
Accipiter badius
F: Accipitridae

A typical *Accipiter* hawk with a long tail and short wings, the Old World shikra has a dashing flight for catching small animals, including birds.



60–66 cm
23½–26 in

RED KITE
Milvus milvus
F: Accipitridae


Like other *Milvus* kites, this species from Europe and the Middle East is slightly weak footed, but accomplished at soaring. It frequently feeds on carrion.



55–60 cm
22–23½ in

BLACK KITE
Milvus migrans
F: Accipitridae

Found in open country across Eurasia, Africa, and Australasia, the black kite has a varied diet that includes live fish and small mammals, carrion, and sometimes human refuse.



55–75 cm
22–30 in

CRESTED SERPENT EAGLE
Spilornis cheela
F: Accipitridae

Belonging to a group of Asian snake eagles, this species inhabits a range from India to the Philippines, and is often found near fresh water.



BATELEUR
Terathopius ecaudatus
F: Accipitridae

This African savanna bird is the only snake eagle that regularly eats carrion. *Bateleur* means "acrobat" in French, a reference to this bird's acrobatic flight.

red facial skin

long, broad wings

55–70 cm
22–28 in

red feet