





JARLITE
Monoclinic
H 4–4½ • SG 3.78–3.93
Usually white, jarlite is found in igneous rocks. It is a rare sodium strontium magnesium aluminium fluoride hydroxide.




chlorargyrite crust

CHLORARGYRITE
Cubic • H 2½ • SG 5.55
This silver chloride is typically scaly, plate-like, or, in masses, resembling wax. It occurs where silver deposits are altered.



dark green, tabular crystals of atacamite

ATACAMITE
Orthorhombic • H 3–3½ • SG 3.76
Green atacamite is a copper chloride hydroxide, occurring where copper deposits have been oxidized. It is a minor copper ore.



CALOMEL
Tetragonal
H 1½–2 • SG 7.15
Rarely found, this mercury chloride is a white to grey or brown mineral. Its colour deepens on exposure to light.



CRYOLITE
Monoclinic
H 2½ • SG 2.97
A rare aluminium sodium fluoride, cryolite often has an ice-like appearance. It is found in granitic pegmatites and granites.

CARBONATES

Carbonate minerals are compounds of metallic or semimetallic elements combined with the carbonate radical (CO_3). Over 70 carbonate minerals are known, but calcite, dolomite, and siderite account for most of the carbonate material in Earth's crust. Carbonates usually form as "good" crystals with regular shapes and no foreign substances enclosed within them. Many carbonates are pale coloured, but some, such as rhodochrosite, smithsonite, and malachite, are brightly coloured.



DOGTOOTH SPAR




TRONA
Monoclinic • H 2½ • SG 2.14
A hydrated sodium carbonate, trona is grey, yellowish, or brown. It forms at Earth's surface, especially in saline desert environments.



WITHERITE
Orthorhombic
H 3–3½ • SG 4.29
This fairly uncommon carbonate of barium is usually white or grey, and occurs in hydrothermal veins.




SMITHSONITE
Trigonal
H 4–4½ • SG 4.42–4.44
A zinc carbonate found in the upper oxidized zones of zinc ore deposits, smithsonite is also mined for zinc.



NAILHEAD SPAR

CALCITE
Trigonal
H 3 • SG 2.71
Most calcite (a calcium carbonate), one of the most abundant minerals, occurs in the rocks limestone and marble. It can also form outstanding crystals.



limestone groundmass

BARYTOCALCITE
Monoclinic • H 4 • SG 3.66–3.71
This barium calcium carbonate is white to yellowish, and often found in hydrothermal veins within limestone.

curved crystal faces

DOLOMITE
Trigonal
H 3½–4
SG 2.84–2.86
Dolomite is a calcium magnesium carbonate widespread in altered limestones. Dolomite rock, formed exclusively of massive dolomite, is used as a building stone.



MAGNESITE
Trigonal • H 3½–4½
SG 2.98–3.02
A magnesium carbonate, magnesite usually occurs as white to brownish dense masses. It is made into furnace bricks and magnesia cement.



STRONTIANITE
Orthorhombic • H 3½
SG 3.74–3.78
This strontium carbonate is found in hydrothermal veins and limestones. The strontium is used in sugar refining and fireworks.