


MUSK DEER

Found mainly in Asian montane forests, the solitary, nocturnal members of the family Moschidae are named for the musk gland of adult males. These small, stocky deer have enlarged upper canines and longer hind limbs that help them climb rough terrain.




ALPINE MUSK DEER

Moschus chrysogaster

Inhabiting highland forests from S.E. China to the north of India, this is one of the larger species of musk deer and has long, hare-like ears. The male's musk sac produces musk, which is used to mark territory.

CHEVROTAINS

Found in African and Asian tropical forests, the Tragulidae are somewhat similar to small deer, but lack horns or antlers. In males, the enlarged upper canines project from either side of the lower jaw. Like pigs, chevrotains have four toes on each foot and rather short legs. The stomach is chambered, to ferment and digest tough plant food.



WHITE-SPOTTED CHEVROTAIN

Moschiola meminna


Nocturnal and secretive, this tiny chevrotain from India and Sri Lanka has spots and white stripes on its body.



WATER CHEVROTAIN

Hyemoschus aquaticus


Large and boldly marked with stripes and spots, this chevrotain of W. and C. African forests is a good swimmer and diver.



GREATER INDO-MALAYAN CHEVROTAIN

Tragulus napu

Although quite small, this is the largest Asian chevrotain. Its pointed head has dark stripes running from the large eyes to the black nose.




JAVA CHEVROTAIN

Tragulus javanicus

This is the world's smallest hoofed mammal. Its relationship with other chevrotains in Southeast Asian forests is poorly understood.

DEER


Distributed almost globally, the Cervidae are largely absent from Africa and introduced in Australia. They occupy forested and open habitats, but many favour the transitional zones in between. The size and form of the antlers of each species is unique. Unlike permanently horned animals, such as antelopes, male deer shed and regrow their antlers each year; females, with one exception, lack antlers but may have only short stubs.



RUSA DEER

Rusa timorensis


This Indonesian forest deer was introduced into arid Australian bushlands, where it thrives. It has large ears and antlers for its size.



SAMBAR

Rusa unicolor

A large, dark brown deer with a prominent mane, the sambar browses in woodlands throughout S. Asia, up to the Himalayan foothills.



VISAYAN SPOTTED DEER

Rusa alfredi


Endemic to the Philippines, this nocturnal deer has short legs, a distinctive crouching posture, and a dense pattern of pale spots.



REEVES' MUNTJAC

Muntiacus reevesi

Native to eastern Asia, this species was introduced in western Europe. Despite its small size, it damages woodlands by grazing and browsing.



RED MUNTJAC

Muntiacus muntjak

This S. Asian deer uses its short, one-branched antlers and elongated upper canines to defend itself against predators and its territory against rivals.

short
tail

long,
slender legs