

```

177.         if not sandMovedOnThisStep:
178.             time.sleep(2)
179.             # Erase all of the sand:
180.             for sand in allSand:
181.                 bext.goto(sand[X], sand[Y])
182.                 print(' ', end='')
183.             break # Break out of main simulation loop.
184.
185.
186. # If this program was run (instead of imported), run the game:
187. if __name__ == '__main__':
188.     try:
189.         main()
190.     except KeyboardInterrupt:
191.         sys.exit() # When Ctrl-C is pressed, end the program.

```

After entering the source code and running it a few times, try making experimental changes to it. The comments marked with (!) have suggestions for small changes you can make. On your own, you can also try to figure out how to do the following:

- Create wall shapes other than an hourglass.
- Create points on the screen that continuously pour out new grains of sand.

Exploring the Program

Try to find the answers to the following questions. Experiment with some modifications to the code and rerun the program to see what effect the changes have.

1. What happens if you change `range(18, 37)` on line 31 to `range(18, 30)`?
2. What happens if you change `range(8)` on line 39 to `range(0)`?
3. What happens if you change `sandMovedOnThisStep = False` on line 82 to `sandMovedOnThisStep = True`?
4. What happens if you change `fallingDirection = None` on line 125 to `fallingDirection = 1`?
5. What happens if you change `random.random() * 100 <= WIDE_FALL_CHANCE` on line 136 to `random.random() * 0 <= WIDE_FALL_CHANCE`?