

```

127.     # Draw the board data structure:
128.     for x, y in changedTiles:
129.         bext.goto(x, y)
130.         if board.get((x, y), False):
131.             bext.bg(BLACK_TILE)
132.         else:
133.             bext.bg(WHITE_TILE)
134.
135.     antIsHere = False
136.     for ant in ants:
137.         if (x, y) == (ant['x'], ant['y']):
138.             antIsHere = True
139.             if ant['direction'] == NORTH:
140.                 print(ANT_UP, end='')
141.             elif ant['direction'] == SOUTH:
142.                 print(ANT_DOWN, end='')
143.             elif ant['direction'] == EAST:
144.                 print(ANT_LEFT, end='')
145.             elif ant['direction'] == WEST:
146.                 print(ANT_RIGHT, end='')
147.             break
148.     if not antIsHere:
149.         print(' ', end='')
150.
151.     # Display the quit message at the bottom of the screen:
152.     bext.goto(0, HEIGHT)
153.     bext.bg(WHITE_TILE)
154.     print('Press Ctrl-C to quit.', end='')
155.
156.     sys.stdout.flush() # (Required for bext-using programs.)
157.     time.sleep(PAUSE_AMOUNT)
158.
159.
160. # If this program was run (instead of imported), run the game:
161. if __name__ == '__main__':
162.     try:
163.         main()
164.     except KeyboardInterrupt:
165.         print("Langton's Ant, by Al Sweigart al@inventwithpython.com")
166.         sys.exit() # When Ctrl-C is pressed, end the program.

```

After entering the source code and running it a few times, try making experimental changes to it. The comments marked with (!) have suggestions for small changes you can make. On your own, you can also try to figure out how to do the following:

- Let the player load and save the state of the board's tiles from and to a text file.
- Create additional tile states with new rules of movement and see what behavior emerges.
- Implement some of the ideas suggested in the Wikipedia article for Langton's Ant.