

```
74.         purse = purse - (pot // 10) # The house fee is 10%.
75.     else:
76.         purse = purse - pot # Subtract the pot from player's purse.
77.         print('You lost!')
78.
79.     # Check if the player has run out of money:
80.     if purse == 0:
81.         print('You have run out of money!')
82.         print('Thanks for playing!')
83.         sys.exit()
```

After entering the source code and running it a few times, try making experimental changes to it. On your own, you can also try to figure out how to do the following:

- Implement one of the variations of this game, described in the Wikipedia article, where multiple players bet against each other. Add computer-controlled gamblers with their own purses to play against.
- Add extra bonuses for certain rolls, such as 7 or snake eyes.
- Allow the player to bet on a specific number to get a bonus to their wager.

Exploring the Program

Try to find the answers to the following questions. Experiment with some modifications to the code and rerun the program to see what effect the changes have.

1. How can you make the player start with a different amount of money?
2. How does the program prevent the player from betting more money than they have?
3. How does the program know if the sum of the two dice is even or odd?
4. What happens if you change `random.randint(1, 6)` on line 37 to `random.randint(1, 1)`?
5. Does the house still collect a 10 percent fee if you change `pot // 10` on line 73 (not line 74) to 0?
6. What happens if you delete or comment out lines 80, 81, 82, and 83?