

If the socket is properly running, you can see the message like the one below.

Command Line - RESPONSE

```
● project_d.socket - unicorn socket
Loaded: loaded (/etc/systemd/system/project_d.socket; enabled;
vendor preset: enabled)
Active: active (running) since Fri 2023-04-21 11:55:33 UTC; 22h ago
Triggers: ● project_d.service
Listen: /home/ubuntu/project_d/project_d.sock (Stream)
Tasks: 0 (limit: 2372)
Memory: 0B
CGroup: /system.slice/project_d.socket
```

To check the service unit status, run the command below.

Command Line - INPUT

```
ubuntu@ip-xx:~$ | systemctl status project_d
```

If the service is running properly, you can see the message like the one below.

Command Line - RESPONSE

```
● project_d.service - unicorn daemon
Loaded: loaded (/etc/systemd/system/project_d.service; disabled;
vendor preset: enabled)
Active: active (running) since Fri 2023-04-21 16:05:41 UTC; 18h ago
TriggeredBy: ● project_d.socket
Main PID: 123874 (unicorn)
Tasks: 4 (limit: 2372)
Memory: 119.5M
CGroup: /system.slice/project_d.service
```

To learn about the unit files for Unicorn, you can check the Unicorn official documentation.

[Gunicorn documentation reference: Deploying Gunicorn systemd](#)

Note: Check Gunicorn process

We checked if the socket and service units were running, but we didn't check if the application was running using Gunicorn. Here is a way to check if Gunicorn is working.