

Your data has been restored. Poke around in the Django REPL to prove this to yourself.

Fixtures are commonly used during testing. It is good practice to know the state of a database before performing a test—that way you can determine whether the result was what you expected. To standardize this process, you can associate fixture files with an app. You do this by creating a *fixtures* directory in the app. In this case, instead of passing a filename to the `loaddata` command, you specify the name of the app. Create a fixtures directory in the `bands` app and move `bands.json` inside of it. With that done, you can delete your database again and repeat the restoration process. This time, use the app's name instead of the filename directly:

```
(venv) RiffMates$ mkdir bands/fixtures
(venv) RiffMates$ mv bands.json bands/fixtures/
(venv) RiffMates$ rm db.sqlite3
(venv) RiffMates$ python manage.py migrate
```

Operations to perform:

Apply all migrations: admin, auth, bands, contenttypes, sessions

Running migrations:

```
Applying contenttypes.0001_initial... OK
Applying auth.0001_initial... OK
Applying admin.0001_initial... OK
Applying admin.0002_logentry_remove_auto_add... OK
Applying admin.0003_logentry_add_action_flag_choices... OK
Applying contenttypes.0002_remove_content_type_name... OK
Applying auth.0002_alter_permission_name_max_length... OK
Applying auth.0003_alter_user_email_max_length... OK
Applying auth.0004_alter_user_username_opts... OK
Applying auth.0005_alter_user_last_login_null... OK
Applying auth.0006_require_contenttypes_0002... OK
Applying auth.0007_alter_validators_add_error_messages... OK
Applying auth.0008_alter_user_username_max_length... OK
Applying auth.0009_alter_user_last_name_max_length... OK
Applying auth.0010_alter_group_name_max_length... OK
Applying auth.0011_update_proxy_permissions... OK
Applying auth.0012_alter_user_first_name_max_length... OK
Applying bands.0001_initial... OK
Applying bands.0002_venue_room... OK
Applying bands.0003_band... OK
Applying sessions.0001_initial... OK
```

(venv) RiffMates\$ python manage.py loaddata bands

Installed 8 object(s) from 1 fixture(s)

Create a fixtures directory in the bands app.

Move the bands.json fixture into the new directory.

Load the fixture using the app name instead of the filename.

Fixtures are a great way to insert or overwrite some data in your database, but they are a little fragile. Because inter-object relations are all specified using ID numbers, editing a fixture can be a delicate process. If you need to edit a field, like `Band.name`, that isn't too bad. If you want to add a new object, you need to make sure you use the right value for the ID. A fixture that contains the same ID for two different objects of the same type will result in an error. Fixtures are helpful for dealing with small amounts of data, and loading previously dumped content is useful. I recommend against using them to create new objects or managing large amounts of data.