

are Python files. They aren't the most obvious scripts, though. They mostly consist of just data structures. The actual code that performs a migration is deep within the Django framework; the migration file provides data to inform the process.

Consider your newly created migration file for the `promoters` app: `promoters/migrations/0001_initial.py`. It contains a `Migration` class that encapsulates the actions needed in the database for the `Promoter` Model. There are three members of the `Migration` class: `.initial`, `.dependencies`, and `.operations`. The `.initial` value is a Boolean, which is `True` if this is the first migration to be performed for the app. The `.dependencies` list contains the names of other migrations that need to be run before this one, which, for `0001_initial.py`, is empty.

The core of the `Migration` class is the `.operations` list. This consists of a series of objects that describe what actions need to be performed on the database. For `0001_initial.py`, this list contains a single object: `CreateModel`. When the Django migration system sees a `CreateModel` object, it knows to create the tables in the database for the named model. For the `Promoter` model, there are three fields: the two you specified for first and last names and a third for the object's ID, which is automatically created by Django. Each field gets specified in the migration using the same classes you use when writing the `Model` class itself. For the first and last name, that is a `CharField`, and for the ID, it is a `BigAutoField`. The following listing shows the entire migration file.

Listing 10.3 The initial migration script for the Promoters app

```
# RiffMates/promoters/migrations/0001_initial.py
from django.db import migrations, models

class Migration(migrations.Migration):
    initial = True
    dependencies = []
    operations = [
        migrations.CreateModel(
            name="Promoter",
            fields=[
                ("id",
                 models.BigAutoField(
                     auto_created=True,
                     primary_key=True,
                     serialize=False,
                     verbose_name="ID",
                 )),
                ("first_name",
                 models.CharField(max_length=25)),
            ],
        ),
    ]
```

Each migration file contains a **Migration** class definition that describes the migration's corresponding database actions.

.initial indicates whether this is the first migration for the app.

.dependencies is a list of migration filenames that need to be run before this one; for the initial script, this is empty.

The **.operations** list contains all the actions run by this migration

The initial migration for the **Promoter** object has a single operation: creating the model.

CreateModel contains a list of fields in the model that correspond to columns in the underlying database table(s).

By default, Django creates an ID field as a primary key, using the **BigAutoField** type.

The first and last name fields get specified using the same **CharField** as is used in your model specification.