

Like with your musician views, here, you need a view to display a single `Band` object and one for listing all `Band` objects. The following listing shows these two views, taking advantage of the shared functions built in exercise 1.

Listing E.13 Listing and detail views for your bands

```
# RiffMates/bands/views.py
...
def band(request, band_id):
    data = {
        "band": get_object_or_404(Band, id=band_id),
    }

    return render(request, "band.html", data)

def bands(request):
    all_bands = Band.objects.all().order_by("name")
    items_per_page = _get_items_per_page(request)
    paginator = Paginator(all_bands, items_per_page)

    page_num = _get_page_num(request, paginator)

    page = paginator.page(page_num)

    data = {
        "bands": page.object_list,
        "page": page,
    }

    return render(request, "bands.html", data)
```

The band detail view takes the ID of a `Band` object as an argument.

The `get_object_or_404()` shortcut fetches the `Band` with the given ID or raises an `Http404` error.

The Band Listing page queries all the `Band` objects.

Call the shared function to get the number of items per page.

Call the shared function to get the page number.

Create a page object to be used during rendering that encapsulates the subset of bands to display on this page.

Create a `Paginator` to paginate the list of bands.

The following listing contains the template for the Band Details page.

Listing E.14 Template for the band details page

```
<!-- RiffMates/templates/band.html -->
{% extends "base.html" %}

{% block title %}
    {{block.super}}: Band Details
{% endblock %}

{% block content %}
    <h1>{{band.name}}</h1>

    <h2>Band Members</h2>
    <ul>
        {% for musician in band.musicians.all %}
            <li> <a href="{% url 'musician' musician.id %}">
                {{musician.last_name}}, {{musician.first_name}}
            </a> </li>
        {% empty %}
    </ul>
```