

Before you commit code, you should quickly review the changes you'll commit when you run `git commit`. You can view the differences between the code currently in your working copy and the code in the latest commit using the `git diff` command.

Let's walk through an example of using `git diff`. Open *README.md* in a text editor or IDE. (You should have created this file when you ran Cookiecutter. If it doesn't exist, create a blank text file and save it as *README.md*.) This is a Markdown-formatted file, but like Python scripts, it's written in plaintext. Change the `TODO - fill this in later` text in the Quickstart Guide section to the following (keep the `xample` typo in it for now; we'll fix it later):

---

```
Quickstart Guide
-----
```

```
Here's some xample code demonstrating how this module is used:
```

```
>>> import wizcoin
>>> coin = wizcoin.WizCoin(2, 5, 10)
>>> str(coin)
'2g, 5s, 10k'
>>> coin.value()
1141
```

---

Before we add and commit *README.md*, run the `git diff` command to see the changes we've made:

---

```
C:\Users\Al\wizcoin>git diff
diff --git a/README.md b/README.md
index 76b5814..3be49c3 100644
--- a/README.md
+++ b/README.md
@@ -13,7 +13,14 @@ To install with pip, run:
 Quickstart Guide
-----

-TODO - fill this in later
+Here's some xample code demonstrating how this module is used:
+
+    >>> import wizcoin
+    >>> coin = wizcoin.WizCoin(2, 5, 10)
```