

tottime The total time spent in the function, excluding time in subfunctions

percall The total time divided by the number of calls

cumtime The cumulative time spent in the function and all subfunctions

percall The cumulative time divided by the number of calls

filename:lineno(function) The file the function is in and at which line number

For example, download the *rsaCipher.py* and *al_sweigart_pubkey.txt* files from <https://nostarch.com/crackingcodes/>. This RSA Cipher program was featured in *Cracking Codes with Python* (No Starch Press, 2018). Enter the following into the interactive shell to profile the `encryptAndWriteToFile()` function as it encrypts a 300,000-character message created by the `'abc' * 100000` expression:

```
>>> import cProfile, rsaCipher
>>> cProfile.run("rsaCipher.encryptAndWriteToFile('encrypted_file.txt',
'al_sweigart_pubkey.txt', 'abc'*100000)")
11749 function calls in 28.900 seconds
```

Ordered by: standard name

ncalls	tottime	percall	cumtime	percall	filename:lineno(function)
1	0.001	0.001	28.900	28.900	<string>:1(<module>)
2	0.000	0.000	0.000	0.000	

```
_bootlocale.py:11(getpreferredencoding)
--snip--
1 0.017 0.017 28.900 28.900
rsaCipher.py:104(encryptAndWriteToFile)
1 0.248 0.248 0.249 0.249 rsaCipher.py:36(getBlocksFromText)
1 0.006 0.006 28.873 28.873 rsaCipher.py:70(encryptMessage)
1 0.000 0.000 0.000 0.000 rsaCipher.py:94(readKeyFile)
--snip--
2347 0.000 0.000 0.000 0.000 {built-in method builtins.len}
2344 0.000 0.000 0.000 0.000 {built-in method builtins.min}
2344 28.617 0.012 28.617 0.012 {built-in method builtins.pow}
2 0.001 0.000 0.001 0.000 {built-in method io.open}
4688 0.001 0.000 0.001 0.000 {method 'append' of 'list' objects}
--snip--
```
