

```

        tile1 = board[(columnIndex, rowIndex)]
        tile2 = board[(columnIndex + 1, rowIndex)]
        tile3 = board[(columnIndex + 2, rowIndex)]
        tile4 = board[(columnIndex + 3, rowIndex)]
        if tile1 == tile2 == tile3 == tile4 == playerTile:
            return True

    for columnIndex in range(BOARD_WIDTH):
        for rowIndex in range(BOARD_HEIGHT - 3):
            # Check for four-in-a-row going down:
            tile1 = board[(columnIndex, rowIndex)]
            tile2 = board[(columnIndex, rowIndex + 1)]
            tile3 = board[(columnIndex, rowIndex + 2)]
            tile4 = board[(columnIndex, rowIndex + 3)]
            if tile1 == tile2 == tile3 == tile4 == playerTile:
                return True

    for columnIndex in range(BOARD_WIDTH - 3):
        for rowIndex in range(BOARD_HEIGHT - 3):
            # Check for four-in-a-row going right-down diagonal:
            tile1 = board[(columnIndex, rowIndex)]
            tile2 = board[(columnIndex + 1, rowIndex + 1)]
            tile3 = board[(columnIndex + 2, rowIndex + 2)]
            tile4 = board[(columnIndex + 3, rowIndex + 3)]
            if tile1 == tile2 == tile3 == tile4 == playerTile:
                return True

            # Check for four-in-a-row going left-down diagonal:
            tile1 = board[(columnIndex + 3, rowIndex)]
            tile2 = board[(columnIndex + 2, rowIndex + 1)]
            tile3 = board[(columnIndex + 1, rowIndex + 2)]
            tile4 = board[(columnIndex, rowIndex + 3)]
            if tile1 == tile2 == tile3 == tile4 == playerTile:
                return True

    return False

# If this program was run (instead of imported), run the game:
if __name__ == "__main__":
    main()

```

Run this program and play a few games to get an idea of what this program does before reading the explanation of the source code. To check