

set number of columns and rows. If we ever change `BOARD_WIDTH` or `BOARD_HEIGHT` to new integers, we'll have to update the multiline string in `BOARD_TEMPLATE` as well.

We could have written code to generate `BOARD_TEMPLATE` based on the `BOARD_WIDTH` and `BOARD_HEIGHT` constants, like so:

```
BOARD_EDGE = "    +" + ("-" * BOARD_WIDTH) + "+"
BOARD_ROW = "    |" + ("{" * BOARD_WIDTH) + "|\\n"
BOARD_TEMPLATE = "\\n        " + "".join(COLUMN_LABELS) + "\\n" + BOARD_EDGE + "\\n" +
(BOARD_ROW * BOARD_WIDTH) + BOARD_EDGE
```

But this code is not as readable as a simple multiline string, and we're unlikely to change the game board's size anyway, so we'll use the simple multiline string.

We begin writing the `main()` function, which will call all the other functions we've made for this game:

```
def main():
    """Runs a single game of Four-in-a-Row."""
    print(
        """Four-in-a-Row, by Al Sweigart al@inventwithpython.com

Two players take turns dropping tiles into one of seven columns, trying
to make four-in-a-row horizontally, vertically, or diagonally.
"""
    )

    # Set up a new game:
    gameBoard = getNewBoard()
    playerTurn = PLAYER_X
```

We give the `main()` function a docstring, viewable with the built-in `help()` function. The `main()` function also prepares the game board for a new game and chooses the first player.

Inside the `main()` function is an infinite loop:

```
while True: # Run a player's turn.
    # Display the board and get player's move:
    displayBoard(gameBoard)
```
