
```
Welcome to Tic-Tac-Toe!
```

```
--snip--
```

```
X| | 1 2 3
```

```
-+-+-
```

```
| |0 4 5 6
```

```
-+-+-
```

```
| |X 7 8 9
```

```
X can win in one more move.
```

```
What is O's move? (1-9)
```

```
5
```

```
X| | 1 2 3
```

```
-+-+-
```

```
|0|0 4 5 6
```

```
-+-+-
```

```
| |X 7 8 9
```

```
O can win in one more move.
```

```
--snip--
```

```
The game is a tie!
```

```
Thanks for playing!
```

At the end of the method, if `xCanWin` or `oCanWin` is `True`, an additional message stating so is added to the `boardStr` string. Finally, `boardStr` is returned.

Not every overridden method needs to use `super()`! If a class's overriding method does something completely different from the overridden method in the parent class, there's no need to call the overridden method using `super()`. The `super()` function is especially useful when a class has more than one parent method, as explained in "Multiple Inheritance" later in this chapter.

Favor Composition Over Inheritance

Inheritance is a great technique for code reuse, and you might want to start using it immediately in all your classes. But you might not always want the base and subclasses to be so tightly coupled. Creating multiple levels of inheritance doesn't add organization so much as bureaucracy to your code.

Although you can use inheritance for classes with "is a" relationships (in other words, when the child class is a kind of the parent class), it's often favorable to use a technique called *composition* for classes with "has a" relationships. Composition is the class design technique of including