

```

        self.year = year
        self.odometer_reading = 0

    def get_descriptive_name(self):
        """Return a neatly formatted descriptive name."""
        long_name = f"{self.year} {self.make} {self.model}"
        return long_name.title()

    def read_odometer(self):
        """Print a statement showing the car's mileage."""
        print(f"This car has {self.odometer_reading} miles on it.")

    def update_odometer(self, mileage):
        """Set the odometer reading to the given value."""
        if mileage >= self.odometer_reading:
            self.odometer_reading = mileage
        else:
            print("You can't roll back an odometer!")

    def increment_odometer(self, miles):
        """Add the given amount to the odometer reading."""
        self.odometer_reading += miles

❷ class ElectricCar(Car):
    """Represent aspects of a car, specific to electric vehicles."""

    ❸ def __init__(self, make, model, year):
        """Initialize attributes of the parent class."""
        ❹ super().__init__(make, model, year)

    ❺ my_leaf = ElectricCar('nissan', 'leaf', 2024)
    print(my_leaf.get_descriptive_name())

```

We start with Car ❶. When you create a child class, the parent class must be part of the current file and must appear before the child class in the file. We then define the child class, ElectricCar ❷. The name of the parent class must be included in parentheses in the definition of a child class. The `__init__()` method takes in the information required to make a Car instance ❸.

The `super()` function ❹ is a special function that allows you to call a method from the parent class. This line tells Python to call the `__init__()` method from Car, which gives an ElectricCar instance all the attributes defined in that method. The name *super* comes from a convention of calling the parent class a *superclass* and the child class a *subclass*.

We test whether inheritance is working properly by trying to create an electric car with the same kind of information we'd provide when making a regular car. We make an instance of the ElectricCar class and assign it to `my_leaf` ❺. This line calls the `__init__()` method defined in ElectricCar, which in turn tells Python to call the `__init__()` method defined in the parent class Car. We provide the arguments 'nissan', 'leaf', and 2024.