

two lowercase *L*s, not two ones). If you use a command such as `python3` when running programs or installing packages, make sure to use that command here.

Activating the Virtual Environment

Now we need to activate the virtual environment, using the following command:

```
learning_log$ source ll_env/bin/activate
(ll_env)learning_log$
```

This command runs the script `activate` in `ll_env/bin/`. When the environment is active, you'll see the name of the environment in parentheses. This indicates that you can install new packages to the environment and use packages that have already been installed. Packages you install in `ll_env` will not be available when the environment is inactive.

NOTE

If you're using Windows, use the command `ll_env\Scripts\activate` (without the word `source`) to activate the virtual environment. If you're using PowerShell, you might need to capitalize `Activate`.

To stop using a virtual environment, enter **deactivate**:

```
(ll_env)learning_log$ deactivate
learning_log$
```

The environment will also become inactive when you close the terminal it's running in.

Installing Django

With the virtual environment activated, enter the following to update pip and install Django:

```
(ll_env)learning_log$ pip install --upgrade pip
(ll_env)learning_log$ pip install django
Collecting django
--snip--
Installing collected packages: sqlparse, asgiref, django
Successfully installed asgiref-3.5.2 django-4.1 sqlparse-0.4.2
(ll_env)learning_log$
```

Because it downloads resources from a variety of sources, pip is upgraded fairly often. It's a good idea to upgrade pip whenever you make a new virtual environment.

We're working in a virtual environment now, so the command to install Django is the same on all systems. There's no need to use longer commands, such as `python -m pip install package_name`, or to include the `--user` flag. Keep in mind that Django will be available only when the `ll_env` environment is active.