

We first declare this file as an HTML document ❶ written in English ❷. An HTML file is divided into two main parts: the *head* and the *body*. The head of the file begins with an opening `<head>` tag ❸. The head of an HTML file doesn't hold any of the page's content; it just tells the browser what it needs to know to display the page correctly. We include a `<title>` element for the page, which will display in the browser's title bar whenever Learning Log is open ❹.

Before closing the head section, we load the collection of template tags available in `django-bootstrap5` ❺. The template tag `{% bootstrap_css %}` is a custom tag from `django-bootstrap5`; it loads all of the CSS files required to implement Bootstrap styles. The tag that follows enables all the interactive behavior you might use on a page, such as collapsible navigation bars. The closing `</head>` tag appears on the last line.

All Bootstrap styling options are now available in any template that inherits from *base.html*. If you want to use custom template tags from `django-bootstrap5`, each template will need to include the `{% load django_bootstrap5 %}` tag.

Defining the Navigation Bar

The code that defines the navigation bar at the top of the page is fairly long, because it has to work equally well on narrow phone screens and wide desktop monitors. We'll work through the navigation bar in sections.

Here's the first part of the navigation bar:

```
base.html  --snip--
           </head>
           <body>

❶   <nav class="navbar navbar-expand-md navbar-light bg-light mb-4 border">
           <div class="container-fluid">
❷       <a class="navbar-brand" href="{% url 'learning_logs:index' %}">
           Learning Log</a>

❸       <button class="navbar-toggler" type="button" data-bs-toggle="collapse"
           data-bs-target="#navbarCollapse" aria-controls="navbarCollapse"
           aria-expanded="false" aria-label="Toggle navigation">
           <span class="navbar-toggler-icon"></span>
           </button>

❹       <div class="collapse navbar-collapse" id="navbarCollapse">
❺           <ul class="navbar-nav me-auto mb-2 mb-md-0">
❻               <li class="nav-item">
❼                   <a class="nav-link" href="{% url 'learning_logs:topics' %}">
                       Topics</a></li>
                   </ul> <!-- End of links on left side of navbar -->
           </div> <!-- Closes collapsible parts of navbar -->

       </div> <!-- Closes navbar's container -->
           </nav> <!-- End of navbar -->
```