

```

❶ <h1>Topics</h1>
  {% endblock page_header %}

  {% block content %}

❷ <ul class="list-group border-bottom pb-2 mb-4">
    {% for topic in topics %}
❸ <li class="list-group-item border-0">
      <a href="{% url 'learning_logs:topic' topic.id %}">
        {{ topic.text }}</a>
      </li>
    {% empty %}
❹ <li class="list-group-item border-0">No topics have been added yet.</li>
    {% endfor %}
  </ul>

  <a href="{% url 'learning_logs:new_topic' %}">Add a new topic</a>

  {% endblock content %}

```

We don't need the `{% load bootstrap5 %}` tag, because we're not using any custom bootstrap5 template tags in this file. We move the heading `Topics` into the `page_header` block and make it an `<h1>` element instead of a simple paragraph ❶.

The main content on this page is a list of topics, so we use Bootstrap's *list group* component to render the page. This applies a simple set of styling directives to the overall list and to each item in the list. When we open the `<ul>` tag, we first include the `list-group` class to apply the default style directives to the list ❷. We further customize the list by putting a border at the bottom of the list, a little padding below the list (`pb-2`), and a margin below the bottom border (`mb-4`).

Each item in the list needs the `list-group-item` class, and we customize the default style by removing the border around individual items ❸. The message that's displayed when the list is empty needs these same classes ❹.

When you visit the topics page now, you should see a page with styling that matches the home page.

Styling the Entries on the Topic Page

On the topic page, we'll use Bootstrap's card component to make each entry stand out. A *card* is a nestable set of divs with flexible, predefined styles that are perfect for displaying a topic's entries:

```

topic.html  {% extends 'learning_logs/base.html' %}

❶ {% block page_header %}
  <h1>{{ topic.text }}</h1>
  {% endblock page_header %}

```