

```
Password:
Password (again):
Superuser created successfully.
❹ web@ll_project.0:~$ exit
logout
Connection to ssh.us-3.platform.sh closed.
❺ (ll_env)learning_log$
```

When you first run the `platform environment:ssh` command, you may get another prompt about the authenticity of this host. If you see this message, enter `Y` and you should be logged in to a remote terminal session.

After running the `ssh` command, your terminal acts just like a terminal on the remote server. Note that your prompt has changed to indicate that you're in a web session associated with the project named `ll_project` ❹. If you issue the `ls` command, you'll see the files that have been pushed to the Platform.sh server.

Issue the same `createsuperuser` command we used in Chapter 18 ❷. This time, I entered an admin username, `ll_admin_live`, that's distinct from the one I used locally ❸. When you're finished working in the remote terminal session, enter the `exit` command ❹. Your prompt will indicate that you're working in your local system again ❺.

Now you can add `/admin/` to the end of the URL for the live app and log in to the admin site. If others have already started using your project, be aware that you'll have access to all their data! Take this responsibility seriously, and users will continue to trust you with their data.

NOTE

Windows users will use the same commands shown here (such as `ls` instead of `dir`), because you're running a Linux terminal through a remote connection.

Securing the Live Project

There's one glaring security issue in the way our project is currently deployed: the setting `DEBUG = True` in `settings.py`, which provides debug messages when errors occur. Django's error pages give you vital debugging information when you're developing a project; however, they give way too much information to attackers if you leave them enabled on a live server.

To see how bad this is, go to the home page of your deployed project. Log in to a user's account and add `/topics/999/` to the end of the home page URL. Assuming you haven't made thousands of topics, you should see a page with the message *DoesNotExist at /topics/999/*. If you scroll down, you should see a whole bunch of information about the project and the server. You won't want your users to see this, and you certainly wouldn't want this information available to anyone interested in attacking the site.

We can prevent this information from being shown on the live site by setting `DEBUG = False` in the part of `settings.py` that only applies to the deployed version of the project. This way you'll continue to see debugging information locally, where that information is useful, but it won't show up on the live site.