

Open *settings.py* in your text editor, and add one line of code to the part that modifies settings for Platform.sh:

```
settings.py --snip--
if config.is_valid_platform():
    ALLOWED_HOSTS.append('.platformsh.site')
    DEBUG = False
--snip--
```

All the work to set up configuration for the deployed version of the project has paid off. When we want to adjust the live version of the project, we just change the relevant part of the configuration we set up earlier.

Committing and Pushing Changes

Now we need to commit the changes made to *settings.py* and push the changes to Platform.sh. Here's a terminal session showing the first part of this process:

```
❶ (ll_env)learning_log$ git commit -am "Set DEBUG False on live site."
[main d2ad0f7] Set DEBUG False on live site.
 1 file changed, 1 insertion(+)
❷ (ll_env)learning_log$ git status
On branch main
nothing to commit, working tree clean
(ll_env)learning_log$
```

We issue the `git commit` command with a short but descriptive commit message ❶. Remember the `-am` flag makes sure Git commits all the files that have changed and records the log message. Git recognizes that one file has changed and commits this change to the repository.

Running `git status` shows that we're working on the `main` branch of the repository and that there are now no new changes to commit ❷. It's important to check the status before pushing to a remote server. If you don't see a clean status, then some changes haven't been committed and those changes won't be pushed to the server. You can try issuing the `commit` command again; if you're not sure how to resolve the issue, read through Appendix D to better understand how to work with Git.

Now let's push the updated repository to Platform.sh:

```
(ll_env)learning_log$ platform push
Are you sure you want to push to the main (production) branch? [Y/n] Y
Pushing HEAD to the existing environment main
--snip--
To git.us-3.platform.sh:wmye2fx7wwqgu.git
 fce0206..d2ad0f7 HEAD -> main
(ll_env)learning_log$
```

Platform.sh recognizes that the repository has been updated, and it rebuilds the project to make sure all the changes have been taken into account. It doesn't rebuild the database, so we haven't lost any data.