

click **Run as administrator**. In the terminal that appears, enter the following command:

```
> curl -fsS https://platform.sh/cli/installer | php
```

This will install the Platform.sh CLI, as described earlier.

Finally, you'll work in Git Bash. To open a Git Bash terminal, go to the Start menu and search for **git bash**. Click the **Git Bash app** that appears; you should see a terminal window open. You can use traditional Linux-based commands like `ls` in this terminal, as well as Windows-based commands like `dir`. To make sure the installation was successful, issue the **platform list** command. You should see a list of all the commands in the Platform.sh CLI. From this point forward, carry out all of your deployment work using the Platform.sh CLI inside a Git Bash terminal window.

Deploying from macOS

The macOS operating system is not based on Linux, but they were both developed on similar principles. What this means, practically, is that a lot of the commands and workflows that you use on macOS will work in a remote server environment as well. You might need to install some developer-focused resources in order to have all of these tools available in your local macOS environment. If you get a prompt to install the *command line developer tools* at any point in your work, click **Install** to approve the installation.

The most likely difficulty when installing the Platform.sh CLI is making sure PHP is installed. If you see a message that the `php` command is not found, you'll need to install PHP. One of the easiest ways to install PHP is by using the *Homebrew* package manager, which facilitates the installation of a wide variety of packages that programmers depend on. If you don't already have Homebrew installed, visit <https://brew.sh> and follow the instructions to install it.

Once Homebrew is installed, use the following command to install PHP:

```
$ brew install php
```

This will take a while to run, but once it has completed, you should be able to successfully install the Platform.sh CLI.

Deploying from Linux

Because most server environments are Linux-based, you should have very little difficulty installing and using the Platform.sh CLI. If you try to install the CLI on a system with a fresh installation of Ubuntu, it will tell you exactly which packages you need:

```
$ curl -fsS https://platform.sh/cli/installer | php
Command 'curl' not found, but can be installed with:
sudo apt install curl
Command 'php' not found, but can be installed with:
sudo apt install php-cli
```
