

```

# Print a single disk of width diskNum.
emptySpace = ' ' * (TOTAL_DISKS - diskNum)
if diskNum == 0:
    # Just draw the pole.
    sys.stdout.write(emptySpace + '||' + emptySpace)
else:
    # Draw the disk.
    diskSpace = '@' * diskNum
    diskNumLabel = str(diskNum).rjust(2, '_')
    sys.stdout.write(emptySpace + diskSpace + diskNumLabel +
1 + diskSpace + emptySpace)

def printTowers():
    # Print all three towers.
    for level in range(TOTAL_DISKS, -1, -1):
        for tower in (TOWERS['A'], TOWERS['B'], TOWERS['C']):
            if level >= len(tower):
                printDisk(0)
            else:
                printDisk(tower[level])
        sys.stdout.write('\n')
    # Print the tower labels A, B, and C.
    emptySpace = ' ' * (TOTAL_DISKS)
    print('%s A%s%s B%s%s C\n' % (emptySpace, emptySpace, emptySpace, emptySpace, emptySpace))

def moveOneDisk(startTower, endTower):
    # Move the top disk from startTower to endTower.
    disk = TOWERS[startTower].pop()
    TOWERS[endTower].append(disk)

def solve(numberOfDisks, startTower, endTower, tempTower):
    # Move the top numberOfDisks disks from startTower to endTower.
    if numberOfDisks == 1:
        # BASE CASE
        moveOneDisk(startTower, endTower) ❸
        printTowers()
        return
    else:
        # RECURSIVE CASE
        solve(numberOfDisks - 1, startTower, tempTower, endTower) ❹
        moveOneDisk(startTower, endTower) ❺
        printTowers()

```