

```

    if ((y - 1 >= 0) && (image[y - 1][x] == oldChar)) {
        // RECURSIVE CASE
        ❹ floodFill(image, x, y - 1, newChar, oldChar);
    }
    if ((x + 1 < WIDTH) && (image[y][x + 1] == oldChar)) {
        // RECURSIVE CASE
        ❺ floodFill(image, x + 1, y, newChar, oldChar);
    }
    if ((x - 1 >= 0) && (image[y][x - 1] == oldChar)) {
        // RECURSIVE CASE
        ❻ floodFill(image, x - 1, y, newChar, oldChar);
    }
    ❼ return; // BASE CASE
}

function printImage(image) {
    document.write("<pre>");
    for (var y = 0; y < HEIGHT; y++) {
        // Print each row.
        for (var x = 0; x < WIDTH; x++) {
            // Print each column.
            document.write(image[y][x]);
        }
        document.write("\n");
    }
    document.write("\n</ pre>");
}

printImage(im);
floodFill(im, 3, 3, "o");
printImage(im);
</script>

```

When you run this code, the program fills the interior of the shape drawn by the # characters starting at coordinates 3, 3. It replaces all the period characters (.) with o characters. The following output shows the before and after images:

```

..#####.....
..#.....#...####...
..#.....#####...####...#...
..#.....#.....#.....#...
..#.....#####...####...
..#####.....#.....

```