

```

turtle.penup()
turtle.goto(startPosition)
turtle.setheading(direction)

# Draw the branch (thickness is 1/7 the length).
turtle.pendown()
turtle.pensize(max(branchLength / 7.0, 1))
turtle.forward(branchLength)

# Record the position of the branch's end.
endPosition = turtle.position()
leftDirection = direction + LEFT_ANGLE
leftBranchLength = branchLength - LEFT_DECREASE
rightDirection = direction - RIGHT_ANGLE
rightBranchLength = branchLength - RIGHT_DECREASE

# RECURSIVE CASE
drawBranch(endPosition, leftDirection, leftBranchLength)
drawBranch(endPosition, rightDirection, rightBranchLength)

seed = 0
while True:
    # Get pseudorandom numbers for the branch properties.
    random.seed(seed)
    LEFT_ANGLE      = random.randint(10, 30)
    LEFT_DECREASE   = random.randint( 8, 15)
    RIGHT_ANGLE     = random.randint(10, 30)
    RIGHT_DECREASE  = random.randint( 8, 15)
    START_LENGTH    = random.randint(80, 120)

    # Write out the seed number.
    turtle.clear()
    turtle.penup()
    turtle.goto(10, 10)
    turtle.write('Seed: %s' % (seed))

    # Draw the tree.
    drawBranch((350, 10), 90, START_LENGTH)
    turtle.update()
    time.sleep(2)

    seed = seed + 1

```
