

If we print this new text, we can see that it has correctly inserted a space into the misspelling `oneperfectly`, though it hasn't yet inserted spaces in the rest of the misspellings.

```
The one perfectly divine thing, the oneglimpse of God's paradisegiven on earth,  
is to fight a losingbattle - and notlose it.
```

We can put all this together into one beautiful function, shown in [Listing 8-1](#). This function will use a `for` loop to insert spaces into every instance of two valid words running together to become an invalid word.

```
def insertspaces(text,word_list):  
  
    locs = list(set([(m.start(),m.end()) for word in word_list for m in  
re.finditer(word, \text)]))  
    spacestarts = [m.start() for m in re.finditer(' ', text)]  
    spacestarts.append(-1)  
    spacestarts.append(len(text))  
    spacestarts.sort()  
    spacestarts_affine = [ss + 1 for ss in spacestarts]  
    spacestarts_affine.sort()  
    partial_words = [loc for loc in locs if loc[0] in spacestarts_affine and  
loc[1] not in \    spacestarts]  
    partial_words_end = [loc for loc in locs if loc[0] not in spacestarts_affine  
and loc[1] \    in spacestarts]  
    between_spaces = [(spacestarts[k] + 1,spacestarts[k+1]) for k in \  
range(0,len(spacestarts) - 1)]  
    between_spaces_notvalid = [loc for loc in between_spaces if  
text[loc[0]:loc[1]] not in \    word_list]  
    textnew = text  
    for loc in between_spaces_notvalid:  
        endsofbeginnings = [loc2[1] for loc2 in partial_words if loc2[0] ==  
loc[0] and \    (loc2[1] - loc[0]) > 1]  
        beginningsofends = [loc2[0] for loc2 in partial_words_end if loc2[1] ==  
loc[1] and \    (loc2[1] - loc[0]) > 1]  
        pivot = list(set(endsofbeginnings).intersection(beginningsofends))  
        if(len(pivot) > 0):  
            pivot = np.min(pivot)  
            textnew = textnew.replace(text[loc[0]:loc[1]],text[loc[0]:pivot]+' \  
' +text[pivot:loc[1]])  
    textnew = textnew.replace(' ', ' ')  
    return(textnew)
```
