

**File:****PygameDemo6\_BallBounceObjectOriented/Main\_BallBounceManyBalls.py**

---

```
# pygame demo 6(b) - using the Ball class, bounce many balls

--- snip ---
N_BALLS = 3
--- snip ---

# 5 - Initialize variables
❶ ballList = []
for oBall in range(0, N_BALLS):
    # Each time through the loop, create a Ball object
    oBall = Ball(window, WINDOW_WIDTH, WINDOW_HEIGHT)
    ballList.append(oBall) # append the new Ball to the list of Balls

# 6 - Loop forever
while True:

    --- snip ---

    # 8 - Do any "per frame" actions
    ❷ for oBall in ballList:
        oBall.update() # tell each Ball to update itself

    # 9 - Clear the window before drawing it again
    window.fill(BLACK)

    # 10 - Draw the window elements
    ❸ for oBall in ballList:
        oBall.draw() # tell each Ball to draw itself

    # 11 - Update the window
    pygame.display.update()

    # 12 - Slow things down a bit
    clock.tick(FRAMES_PER_SECOND)
```

---

***Listing 6-3: Creating, moving, and displaying three balls***

We start with an empty list of `Ball` objects ❶. Then we have a loop that creates three `Ball` objects, each of which we append to our list of `Ball`