

```

# 2 - Define constants
BLACK = (0, 0, 0)
WHITE = (255, 255, 255)
WINDOW_WIDTH = 640
WINDOW_HEIGHT = 480
FRAMES_PER_SECOND = 30

# 3 - Initialize the world
pygame.init()
window = pygame.display.set_mode((WINDOW_WIDTH, WINDOW_HEIGHT))
clock = pygame.time.Clock()

# 4 - Load assets: image(s), sound(s), etc.

# 5 - Initialize variables
❷ oBall = Ball(window, WINDOW_WIDTH, WINDOW_HEIGHT)
oFrameCountLabel = SimpleText(window, (60, 20),
                                'Program has run through this many loops: ', WHITE)
oFrameCountDisplay = SimpleText(window, (500, 20), '', WHITE)
oRestartButton = SimpleButton(window, (280, 60),
                                'images/restartUp.png', 'images/restartDown.png')
frameCounter = 0

# 6 - Loop forever
while True:

    # 7 - Check for and handle events
    for event in pygame.event.get():
        if event.type == pygame.QUIT:
            pygame.quit()
            sys.exit()

        ❸ if oRestartButton.handleEvent(event):
            frameCounter = 0 # clicked button, reset counter

    # 8 - Do any "per frame" actions
    ❹ oBall.update() # tell the ball to update itself
    frameCounter = frameCounter + 1 # increment each frame
    ❺ oFrameCountDisplay.setValue(str(frameCounter))

    # 9 - Clear the window before drawing it again
    window.fill(BLACK)

    # 10 - Draw the window elements

```