

---

```
if oButton.handleEvent(event):  
    print('The button was clicked')
```

---

This approach to handling events works well with the `SimpleButton` class. However, some other Python packages and many other programming languages handle events in a different way: with a *callback*.

---

## callback

A function or method of an object that is called when a particular action, event, or condition happens.

---

An easy way to understand this is to think about the 1984 hit movie *Ghostbusters*. The tagline for the movie is “Who you gonna call?” In the movie, the Ghostbusters ran an ad on TV that told people that if they saw a ghost (that’s the event to look for), they should call the Ghostbusters (the callback) to get rid of it. Upon receiving the call, the Ghostbusters take the appropriate actions to eliminate the ghost.

As an example, consider a button object that is initialized to have a callback. When the user clicks the button, the button will call the callback function or method. That function or method executes whatever code is needed to react to the button click.

## *Creating a Callback*

To set up a callback, when you create an object or call one of an object’s methods, you pass the name of a function or a method of an object to be called. As an example, there is a standard GUI package for Python called `tkinter`. The code needed to create a button with this package is very different from what I have shown—here’s an example:

---

```
import tkinter  
  
def myFunction():  
    print('myCallBackFunction was called')  
  
oButton = tkinter.Button(text='Click me', command=myFunction)
```

---