

Using None as a Default Value

It's sometimes helpful to know whether the caller passed in a value for a keyword parameter or not. For this example, the caller orders a pizza. At a minimum, the caller must specify a size. The second parameter will be a style that defaults to 'regular' but could be 'deepdish'. As a third parameter, the caller can optionally pass in a single desired topping. If the caller wants a topping, we must charge them extra.

In [Listing 7-1](#), we'll use a positional parameter for the `size` and keyword parameters for the `style` and `topping`. The default for `style` is the string 'regular'. Since the topping choice is optional, we'll use the special Python value of `None` as the default, but the caller may pass in the topping of their choice.

File: OrderPizzaWithNone.py

```
def orderPizza(size, style='regular', topping=None):
    # Do some calculations based on the size and style
    # Check if a topping was specified
    PRICE_OF_TOPPING = 1.50 # price for any topping

    if size == 'small':
        price = 10.00
    elif size == 'medium':
        price = 14.00
    else: # large
        price = 18.00

    if style == 'deepdish':
        price = price + 2.00 # charge extra for deepdish

    line = 'You have ordered a ' + size + ' ' + style + ' pizza with '
    ❶ if topping is None: # check if no topping was passed in
        print(line + 'no topping')
    else:
        print(line + topping)
        price = price + PRICE_OF_TOPPING

    print('The price is $', price)
    print()
```