
```
while True:
    for event in pygame.event.get():
        if event.type == pygame.QUIT:
            pygame.quit()
            sys.exit()

        if oInputField.handleEvent(event):
            # User has pressed Enter or Return
            userText = oInputField.getValue() # get the text the user entered
            <Any code you want to run using the user's input>

    --- snip ---
    oInputField.draw() # at the bottom of the main while loop
```

For every event, we need to call the `handleEvent()` method of the `InputText` field to allow it to react to keystrokes and mouse clicks. This call normally returns `False`, but when the user presses `ENTER` or `RETURN`, it returns `True`. We can then retrieve the text that the user entered by calling the `getValue()` method of the object.

At the bottom of the main `while` loop, we need to call the `draw()` method to allow the field to draw itself.

If a window contains multiple input fields, key presses are handled by the field with current keyboard focus, which is changed when a user clicks in a different field. If you want to allow a field to have initial keyboard focus, then you can set the `initialFocus` keyword parameter to `True` in the `InputText` object of your choice when you create that object. Further, if you have multiple `InputText` fields in a window, a typical user interface design approach is to include an OK or Submit button. When this button is clicked, you could then call the `getValue()` method of each field.

NOTE

At the time of writing, the `InputText` class does not handle highlighting multiple characters by dragging the mouse. If this functionality is added in a later version, no change will be required to programs that use `InputText` because the code will be entirely within that class. Any new behavior will be supported automatically in all `InputText` objects.
