

File: ValidatingData_ClubExample/Main_Club.py

```
# Club example main program

from Club import *

# Create a club with at most 5 members
oProgrammingClub = Club('Programming', 5)

oProgrammingClub.addMember('Joe Schmoe')
oProgrammingClub.addMember('Cindy Lou Hoo')
oProgrammingClub.addMember('Dino Richmond')
oProgrammingClub.addMember('Susie Sweetness')
oProgrammingClub.addMember('Fred Farkle')
oProgrammingClub.report()
```

We create a Programming club that allows a maximum of five members and then we add five members. The code runs well and reports the members added to the club:

```
OK. Joe Schmoe has been added to the Programming club
OK. Cindy Lou Hoo has been added to the Programming club
OK. Dino Richmond has been added to the Programming club
OK. Susie Sweetness has been added to the Programming club
OK. Fred Farkle has been added to the Programming club
```

Now let's try to add a sixth member:

```
# Attempt to add additional member
oProgrammingClub.addMember('Iwanna Join')
```

This attempt to add a member is rejected, and we see an appropriate error message:

```
Sorry, but we cannot add Iwanna Join to the Programming club.
This club already has the maximum of 5 members.
```

The code of `addMember()` does all the validation needed to ensure that a call to add a new member works correctly or generates an error message. However, with direct access, a client could change the fundamental nature