

File: BalloonGame/BalloonMgr.py

```
# BalloonMgr class

import pygame
import random
from pygame.locals import *
import pygwidgets
from BalloonConstants import *
from Balloon import *

# BalloonMgr manages a list of Balloon objects
class BalloonMgr():
    ❶ def __init__(self, window, maxWidth, maxHeight):
        self.window = window
        self.maxWidth = maxWidth
        self.maxHeight = maxHeight

    ❷ def start(self):
        self.balloonList = []
        self.nPopped = 0
        self.nMissed = 0

    ❸ for balloonNum in range(0, N_BALLOONS):
        randomBalloonClass = random.choice((BalloonSmall,
                                             BalloonMedium,
                                             BalloonLarge))
        oBalloon = randomBalloonClass(self.window, self.maxWidth,
                                      self.maxHeight, balloonNum)
        self.balloonList.append(oBalloon)

    def handleEvent(self, event):
        ❹ if event.type == MOUSEBUTTONDOWN:
            # Go 'reversed' so topmost balloon gets popped
            for oBalloon in reversed(self.balloonList):
                wasHit, nPoints = oBalloon.clickedInside(event.pos)
                if wasHit:
                    if nPoints > 0: # remove this balloon
                        self.balloonList.remove(oBalloon)
                        self.nPopped = self.nPopped + 1
                        self.score = self.score + nPoints
            return # no need to check others

    ❺ def update(self):
```