

showFirstImageAtEnd

When an animation ends, show the first image again; defaults to `True`.

nickname

An internal name to assign to this animation, used as an argument when a `callback` is specified.

callback

The function or object method to call when the animation is done.

nIterations

The number of times to loop through the animation; defaults to `1`.

Unlike `SimpleAnimation`, which uses a single duration for all images, the `Animation` class lets you specify a duration for *each* image, allowing for greater flexibility in the timing of how the images are displayed. You can also specify an x, y offset when drawing each image, but in general this isn't needed. Here is some sample code that creates an `Animation` object that shows a running T-rex dinosaur:

```
TRexAnimationList = [('images/TRex/f1.gif', .1),
                     ('images/TRex/f2.gif', .1),
                     ('images/TRex/f3.gif', .1),
                     ('images/TRex/f4.gif', .1),
                     ('images/TRex/f5.gif', .1),
                     ('images/TRex/f6.gif', .1),
                     ('images/TRex/f7.gif', .1),
                     ('images/TRex/f8.gif', .1),
                     ('images/TRex/f9.gif', .1),
                     ('images/TRex/f10.gif', .4)]

# 5 - Initialize variables
oDinosaurAnimation = pygwidgets.Animation(window, (22, 145),
                                           TRexAnimationList, callback=myFunction, nickname='Dinosaur')
```
