

```

--- snip ---

# 4 - Load assets: image(s), sound(s), etc.
--- snip ---

# 5 - Initialize variables
playerScore = 0
computerScore = 0
state = STATE_SPLASH ❷ # the starting state

# 6 - Loop forever
while True:

    # 7 - Check for and handle events
    for event in pygame.event.get():
        if event.type == pygame.QUIT:
            pygame.quit()
            sys.exit()

        if state == STATE_SPLASH: ❸
            if startButton.handleEvent(event):
                state = STATE_PLAYER_CHOICE

        elif state == STATE_PLAYER_CHOICE: ❹ # let the user choose
            playerChoice = '' # indicates no choice yet
            if rockButton.handleEvent(event):
                playerChoice = ROCK
                rpsCollectionPlayer.replace(ROCK)

            elif paperButton.handleEvent(event):
                playerChoice = PAPER
                rpsCollectionPlayer.replace(PAPER)

            elif scissorButton.handleEvent(event):
                playerChoice = SCISSORS
                rpsCollectionPlayer.replace(SCISSORS)

        if playerChoice != '': # player has made a choice, make computer
choice
            # Computer chooses from tuple of moves
            rps = (ROCK, PAPER, SCISSORS)
            computerChoice = random.choice(rps) # computer chooses
            rpsCollectionComputer.replace(computerChoice)

    # Evaluate the game

```