

```

# Any number of accounts - with lists

❶ accountNamesList = []
   accountBalancesList = []
   accountPasswordsList = []

def newAccount(name, balance, password):
    global accountNamesList, accountBalancesList, accountPasswordsList
    ❷ accountNamesList.append(name)
      accountBalancesList.append(balance)
      accountPasswordsList.append(password)

def show(accountNumber):
    global accountNamesList, accountBalancesList, accountPasswordsList
    print('Account', accountNumber)
    print('      Name', accountNamesList[accountNumber])
    print('      Balance:', accountBalancesList[accountNumber])
    print('      Password:', accountPasswordsList[accountNumber])
    print()

def getBalance(accountNumber, password):
    global accountNamesList, accountBalancesList, accountPasswordsList
    if password != accountPasswordsList[accountNumber]:
        print('Incorrect password')
        return None
    return accountBalancesList[accountNumber]

--- snipped additional functions ---

# Create two sample accounts
❸ print("Joe's account is account number:", len(accountNamesList))
   newAccount("Joe", 100, 'soup')

❹ print("Mary's account is account number:", len(accountNamesList))
   newAccount("Mary", 12345, 'nuts')

while True:
    print()
    print('Press b to get the balance')
    print('Press d to make a deposit')
    print('Press n to create a new account')
    print('Press w to make a withdrawal')
    print('Press s to show all accounts')
    print('Press q to quit')
    print()

```