

```

        (430, GAME_HEIGHT + 17),
        'Background music',
        True, textColor=WHITE)

self.gameOverImage = pygwidgets.Image(self.window, (140, 180),
        'images/gameOver.png')

self.titleText = pygwidgets.DisplayText(self.window,
        (70, GAME_HEIGHT + 17),
        'Score:                                     High
Score:',
        fontSize=24, textColor=WHITE)

self.scoreText = pygwidgets.DisplayText(self.window,
        (80, GAME_HEIGHT + 47), '0',
        fontSize=36, textColor=WHITE,
        justified='right')

self.highScoreText = pygwidgets.DisplayText(self.window,
        (270, GAME_HEIGHT + 47), '',
        fontSize=36, textColor=WHITE,
        justified='right')

pygame.mixer.music.load('sounds/background.mid')
self.dingSound = pygame.mixer.Sound('sounds/ding.wav')
self.gameOverSound = pygame.mixer.Sound('sounds/gameover.wav')

# Instantiate objects
❷ self.oPlayer = Player(self.window)
self.oBaddieMgr = BaddieMgr(self.window)
self.oGoodieMgr = GoodieMgr(self.window)

self.highestHighScore = 0
self.lowestHighScore = 0
self.backgroundMusic = True
self.score = 0
❸ self.playingState = STATE_WAITING

❹ def getSceneKey(self):
    return SCENE_PLAY

```

Listing 16-3: The `__init__()` and `getSceneKey()` methods of the `ScenePlay` class