9. Launch the instance.

You've now started an EC2 instance of type `t2.micro`. This is one of the smallest virtual machines available on AWS.

Use the Session Manager to connect to the instance as demonstrated in the previous section, and execute `cat /proc/cpuinfo` and `free -m` to see information about the machine's capabilities. The output should look similar to this:

```
$ cat /proc/cpuinfo
processor       : 0
vendor_id       : GenuineIntel
cpu family      : 6
model           : 63
model name      : Intel(R) Xeon(R) CPU E5-2676 v3 @ 2.40GHz
stepping        : 2
microcode       : 0x46
cpu MHz         : 2399.915
cache size      : 30720 KB
[...]
$ free -m
              total        used        free      shared  buff/cache   available
Mem:            965          93         379           0         492         739
Swap:             0           0           0
```

Your virtual machine provides a single CPU core and 965 MB of memory. If your application is having performance problems, increasing the instance size can solve this. Use your machine's metrics as described in section 3.2 to find out whether you are running out of CPU or networking capacity. Would your application benefit from additional memory? If so, increasing the instance size will improve the application's performance as well.

If you need more CPUs, more memory, or more networking capacity, you can choose from many other sizes. You can even change the virtual machine's instance family and generation. To increase the size of your VM, you first need to stop it as follows: