```
      ToPort: '-1'
      CidrIp: '0.0.0.0/0'
    - Description: 'allowing inbound HTTP traffic'
      IpProtocol: tcp
      FromPort: '80'
      ToPort: '80'
      CidrIp: '0.0.0.0/0'
SecurityGroupBackend:                                    ②
  Type: 'AWS::EC2::SecurityGroup'
  Properties:
    GroupDescription: 'Allowing incoming HTTP from proxy.'
    VpcId: !Ref VPC
    SecurityGroupIngress:
    - Description: 'allowing inbound HTTP traffic from proxy'
      IpProtocol: tcp
      FromPort: '80'
      ToPort: '80'
      SourceSecurityGroupId: !Ref SecurityGroupProxy     ③
```

① Security group attached to the proxy

② Security group attached to the backend

③ Allows incoming HTTP traffic only from proxy

Update the CloudFormation stack with the template located at https://s3.amazonaws.com/awsinaction-code3/chapter05/firewall5.yaml. After the update is completed, the stack will show the following two outputs:

- `ProxyPublicIpAddress`—Entry point into the system. Receives HTTP requests from the outside world.
- `BackendPublicIpAddress`—You can connect to this EC2 instance only from the proxy.

Copy the `ProxyPublicIpAddress` output and open it in your browser. A Hello AWS in Action! page shows up.

But when you copy the `BackendPublicIpAddress` output and try to open it in your browser, an error message will appear. That's because