Illustration 9.10: Program to Calculate Net Salary

```
#include <iostream>
#include <iomanip>
using namespace std;
int main()
{
        float basic, da, hra, gpf, tax, gross, np;
        char name[30];
        cout << "\n Enter Basic Pay: ";
        cin >> basic;
        cout << "\n Enter D.A : ";
        cin >> da;
        cout << "\n Enter H.R.A: ";
        cin >> hra;
        gross = basic+da+hra; // sum of basic, da and hra
        gpf = (basic+da) * 0.10; // 10% 0f basic and da
        tax = gross * 0.10; //10% of gross pay
        np = gross - (gpf+tax); //netpay = earnings - deductions
        cout << setw(25) << "Basic Pay : " << setw(10)<< basic<< endl;
        cout << setw(25) << "Dearness Allowance : "<< setw(10)<<da<< endl;
        cout<<setw(25)<<"House Rent Allowance : "<<setw(10)<< hra<<endl;
        cout << setw(25) << "Gross Pay : " << setw(10) << gross << endl;
        cout << setw(25) << "G.P.F : " << setw(10) << gpf << endl;
        cout << setw(25) << "Income Tax : " << setw(10)<< tax << endl;
        cout << setw(25) << "Net Pay : " << setw(10) << np << endl;
}
```

The output will be,

```
Enter Basic Pay: 12000
Enter D.A : 1250
Enter H.R.A : 1450
                    Basic Pay  :      12000
           Dearness Allowance  :       1250
       House Rent Allowance    :       1450
                    Gross Pay  :      14700
                        G.P.F  :       1325
                   Income Tax  :       1470
                       Net Pay :      11905
```

(HOT: Try to make multiple output statements as a single cout statement)

In the above program, every output statement has two setw( ) manipulators; first setw (25) creates a filed with 25 spaces and second setw(10) creates another field with 10 spaces. When you

Chapter 9 Page 115-151.indd 144 3/24/2020 9:21:05 AM