v The name of the base class(parent class), if more than one base class, then it can be given separated by comma.

class derived_class_name :visibility_mode base_class_name

{ // members of derivedclass };

The following are some of the examples for different forms of inheritance

16.4.1 Single Inheritance

Illustration 16.1 Single inheritance

```
# include <iostream>
using namespace std;
class student          //base class
{ private :
          char name[20];
          int rno;
   public:
          void  acceptname()
          { cout<<"\n Enter roll no and name .. ";    cin>>rno>>name;   }
          void  displayname()
          { cout<<"\n Roll no :-"<<rno;
            cout<<"\n Name :-"<<name<<endl;      }  };
class exam : public student          //derived class with single base class
 {
      public:
        int  mark1,mark2,total;
        void acceptmark()
        {  cout<<"\n Enter mark1 and mark2.... ";    cin>>mark1>>mark2; }
void  displaymark()
{ cout<<"\n\t\t Marks Obtained ";
  cout<<"\n Subject1.. "<<mark1;
  cout<<"\n Subject2 .. "<<mark2;
  cout<<"\n Total .. "<<mark1+mark2;    }  };
int main()
{   exam e1;
 e1.acceptname();     //calling base class function using derived class object
 e1.acceptmark();
 e1.displayname();              //calling base class function using derived class object
 e1.displaymark();
 return 0;
}
```


Chapter 16 Page 260-274.indd 262 3/24/2020 9:23:56 AM