```
{
        public:
        int  mark1, mark2 ,mark3;
        void acceptmark()
        {       cout<<"\n Enter 3 subject marks.. ";
                cin>>mark1>>mark2>>mark3;     }
void displaymark(){
cout<<"\n\t\t Marks Obtained ";
cout<<"\n Subject1... "<<mark1;
cout<<"\n Subject2... "<<mark2;
cout<<"\n Subject3... "<<mark3;   }   };
class result : public exam
{
int total;
public:
void showresult()
{
total=mark1+mark2+mark3;
cout<<"\nTOTAL MARK SCORED : "<<total;
}
};
int main()
{
        result r1;
r1.acceptname();          //calling base class function using derived class object
r1.acceptmark();          //calling base class function which itself is a derived
                          // class  function using its derived class object
r1.displayname();         //calling base class function using derived class object
r1.displaymark();         /*calling base class function which itself is a derived
                          class  function using its derived class object*/
r1.showresult();          //calling the child class function
return 0;
}
```

Output:

```
Enter roll no and name .. 1201 Lohit Sarathi
 Enter 3 subject marks.. 98 100 100
 Roll no :-1201
 Name :-Lohith Sarathi
            Marks Obtained
Subject1 ...  98
Subject 2 ...  100
Subject 3... 100
TOTAL MARK SCORED    :  298
```


Chapter 16 Page 260-274.indd 264 3/24/2020 9:23:56 AM