3. Prove the following identities.

(i) $\sqrt{\frac{1+\sin\theta}{1-\sin\theta}} = \sec\theta + \tan\theta$ (ii) $\sqrt{\frac{1+\sin\theta}{1-\sin\theta}} + \sqrt{\frac{1-\sin\theta}{1+\sin\theta}} = 2\sec\theta$

4. Prove the following identities.

(i) $\sec^6\theta = \tan^6\theta + 3\tan^2\theta\sec^2\theta + 1$

(ii) $(\sin\theta + \sec\theta)^2 + (\cos\theta + \operatorname{cosec}\theta)^2 = 1 + (\sec\theta + \operatorname{cosec}\theta)^2$

5. Prove the following identities.

(i) $\sec^4\theta(1-\sin^4\theta) - 2\tan^2\theta = 1$ (ii) $\frac{\cot\theta - \cos\theta}{\cot\theta + \cos\theta} = \frac{\operatorname{cosec}\theta - 1}{\operatorname{cosec}\theta + 1}$

6. Prove the following identities.

(i) $\frac{\sin A - \sin B}{\cos A + \cos B} + \frac{\cos A - \cos B}{\sin A + \sin B} = 0$ (ii) $\frac{\sin^3 A + \cos^3 A}{\sin A + \cos A} + \frac{\sin^3 A - \cos^3 A}{\sin A - \cos A} = 2$

7. (i) If $\sin\theta + \cos\theta = \sqrt{3}$, then prove that $\tan\theta + \cot\theta = 1$.

(ii) If $\sqrt{3}\sin\theta - \cos\theta = 0$, then show that $\tan 3\theta = \frac{3\tan\theta - \tan^3\theta}{1 - 3\tan^2\theta}$

8. (i) If $\frac{\cos\alpha}{\cos\beta} = m$ and $\frac{\cos\alpha}{\sin\beta} = n$, then prove that $(m^2+n^2)\cos^2\beta = n^2$

(ii) If $\cot\theta + \tan\theta = x$ and $\sec\theta - \cos\theta = y$, then prove that $(x^2y)^{\frac{2}{3}} - (xy^2)^{\frac{2}{3}} = 1$

9. (i) If $\sin\theta + \cos\theta = p$ and $\sec\theta + \operatorname{cosec}\theta = q$, then prove that $q(p^2-1) = 2p$

(ii) If $\sin\theta(1+\sin^2\theta) = \cos^2\theta$, then prove that $\cos^6\theta - 4\cos^4\theta + 8\cos^2\theta = 4$

10. If $\frac{\cos\theta}{1+\sin\theta} = \frac{1}{a}$, then prove that $\frac{a^2-1}{a^2+1} = \sin\theta$

6.3 Heights and Distances

In this section, we will see how trigonometry is used for finding the heights and distances of various objects without actually measuring them. For example, the height of a tower, mountain, building or tree, distance of a ship from a light house, width of a river, etc. can be determined by using knowledge of trigonometry. The process of finding Heights and Distances is the best example of applying trigonometry in real-life situations. We would explain these applications through some examples. Before studying methods to find heights and distances, we should understand some basic definitions.

Line of Sight

The line of sight is the line drawn from the eye of an observer to the point in the object viewed by the observer.




Fig. 6.5

6 Trigonometry.indd 250 15-12-2020 03:13:44 PM