

Try these

Mixed Fraction	Diagrams	Improper Fraction
ii) _____ rectangles are **completely shaded**. _____ portion of another rectangle is shaded. That is totally _____ rectangles are shaded.		Each rectangle is divided into $\frac{1}{4}$ or quarters or **one fourth**. There are totally_____ quarters of rectangles shaded which is equal to _____ .
iii) _____ hexagons are **completely shaded**. _____ portion of another hexagon is shaded. That is totally _____ hexagons are shaded.		Each hexagon is divided into $\frac{1}{6}$ or **one sixth**. There are totally_____ one sixths of hexagons shaded which is equal to _____ .

Example 10 Convert $5\frac{3}{7}$ into an improper fraction.

Solution Improper fraction $\frac{\text{(Whole number X Denominator) + Numberator}}{\text{Denominator}}$.

$$5\frac{3}{7} = \frac{(5\times 7)+3}{7}$$

$$= \frac{35+3}{7} = \frac{38}{7}$$

Think

i) Are $5\frac{2}{3}$ and $5\frac{4}{6}$ equal?

ii) $\frac{3}{2} \neq 3\frac{1}{2}$ Why?

Example 11 Convert $\frac{17}{3}$ into a mixed fraction.

Solution

Divisor ⟶ $3\overline{)17}$ ⟵ Quotient

-15

2 ⟵ Remainder

$$\frac{17}{3} = \text{Quotient}\ \frac{\text{Remainder}}{\text{Divisor}} = 5\frac{2}{3}$$

Try these

i) Convert $3\frac{1}{3}$ into improper fraction.

ii) Convert $\frac{45}{7}$ into mixed fraction.

6th_ Maths _Chapter 1.indd 11 22-10-2019 18:11:43