



Step - 2 Elimination of a proton from the β - carbon to produce an alkene



3) Reaction with metals

Haloalkane reacts with metals, to form a compound containing carbon - metal bond known as organometallic compounds.

a) Grignard reaction

When a solution of halo alkane in ether is treated with magnesium, we get alkyl magnesium halide known as Grignard reagent.

Example

$CH_3CH_2Br + Mg \xrightarrow{\text{Dry ether}} CH_3CH_2MgBr$

Ethyl bromide — Ethyl magnesium bromide

b) Reaction with active metals like sodium, lead etc

Haloalkane reacts with active metals like sodium, lead etc in the presence of dry ether to form organo metallic compounds.

$CH_3CH_2Br + 2Li \xrightarrow{\text{Dry ether}} CH_3CH_2Li + LiBr$

Ethyl bromide — Ethyl Lithium

$4CH_3CH_2Br + 4Na\text{-}Pb \xrightarrow[\text{Dry ether}]{} (CH_3CH_2)_4Pb + 4NaBr + 3Pb$

Ethyl bromide — Sodium - lead alloy — Tetra ethyl lead (TEL)

4) Reduction reactions

Haloalkanes are reduced to alkanes by treating with H_2 in the presence of metal catalyst like nickel, palladium etc or with hydroiodic acid in the presence of red phosphorous.

$CH_3CH_2Br + H_2 \xrightarrow[523\ K]{Ni(or)Pd} CH_3\text{-}CH_3 + HBr$

Bromo ethane — Ethane

$CH_3CH_2I + HI \xrightarrow{\text{Red P}} CH_3 - CH_3 + I_2$

Iodo ethane — Ethane

14.3.6 Uses of haloalkane

Chloroform:

1. is used as a solvent in pharmaceutical industry
2. is used for producing pesticides and drugs
3. is used as an anaesthetic.
4. used as a preservative for anatomical specimens.

Iodoform:

1. is used as an antiseptic for dressing wounds.

Unit 14 - jagan.indd 238 22-01-2021 13:04:59