10.5.3 Bond angle

Covalent bonds are directional in nature and are oriented in specific directions in space. This directional nature creates a fixed angle between two covalent bonds in a molecule and this angle is termed as bond angle. It is usually expressed in degrees. The bond angle can be determined by spectroscopic methods and it can give some idea about the shape of the molecule.

Table 10.3 Bond angles for some common molecules

S. No.	Molecule	Atoms defining the angle	Bond angle (°)
1	CH_4	H-C-H	109^0 28'
2	NH_3	H-N-H	107^0 18'
3	H_2O	H-O-H	104^0 35'

10.5.4 Bond enthalpy

The bond enthalpy is defined as the minimum amount of energy required to break one mole of a particular bond in molecules in their gaseous state. The unit of bond enthalpy is kJ mol^{-1}. Larger the bond enthalpy, stronger will be the bond. The bond energy value depends on the size of the atoms and the number of bonds between the bonded atoms. Larger the size of the atom involved in the bond, lesser is the bond enthalpy.

In case of polyatomic molecules with, two or more same bond types, in the term average bond enthalpy is used. For such bonds, the arithmetic mean of the bond energy values of the same type of bonds is considered as average bond enthalpy. For example in water, there are two OH bonds present and the energy needed to break them are not same.

$H_2O(g) \rightarrow H(g)+OH(g) \quad \Delta H_1 = 502 \text{ kJ mol}^{-1}$

$OH(g) \rightarrow H(g)+O(g) \quad \Delta H_2 = 427 \text{ kJ mol}^{-1}$

The average bond enthalpy of OH bond in water $= \frac{502+427}{2} = 464.5 \text{ kJ mol}^{-1}$

Table 10.4 Bond lengths and bond enthalpies of some common bonds:

S. No.	Bond type	Bond Enthalpy (kJ mol^{-1})	Bond Length (Å)
1	H-H	432	0.74
2	H-F	565	0.92
3	H-Cl	427	1.27
4	H-Br	363	1.41
5	H-I	295	1.61
6	C-H	413	1.09
7	C-C	347	1.54
8	C-Si	301	1.86
9	C-N	305	1.47
10	C-O	358	1.43
11	C-P	264	1.87
12	C-S	259	1.81
13	C-F	453	1.33
14	C-Cl	339	1.77
15	C-Br	276	1.94
16	C-I	216	2.13

Unit 10 layout - jagan.indd 77 22-01-2021 12:33:08