not erupted during the known geological period. The vent of these volcanoes remains closed with solidified lava. The formations such as craters may be filled with water and crater lakes may be formed. The slopes of these landforms may be covered with vegetation. Popa in Myanmar and Mt. Kenya in eastern Africa are the examples of extinct volcano.

On the **basis of nature of eruption and form** developed on the surface, they are classified into following types:

a) **Shield Volcanoes:** These are made up of basalt, a type of lava that is very fluid when erupted. They become explosive when water gets into the vent. They develop into a cinder cone. Hawaiian volcano is an example of this category.

b) **Composite cone volcanoes:** They are also called 'strato volcanoes'. They are cone-shaped volcanoes composed of layers of lava, ash and rock debris. Mount Vesuvius and Mount St. Helens are examples of composite volcanoes.

c) **Cinder Cone Volcano :** It forms when magma is thrown out to the surface, cooled in to ash and cinders and settled around the mouth of volcano. It is less dangerous than other volcanoes.

d) **Lava Dome:** Unlike composite and shield volcanoes, lava domes are of significantly smaller structure. They are formed when the lava is too viscous to flow to a great distance. As the lava dome slowly grows, the outer surface cools and hardens as the lava continues to pile within. Eventually, the internal pressure can shatter the outer surface, causing loose fragments to spill down its sides.

3.10.3 Effects of Volcanic Activities

Destructive effects of volcano

Showers of cinders and bombs can cause damage to life and properties. Sometimes ash can precipitate under the influence of rain and completely cover large areas.

The volcanic gases pose potential hazard to people, animals; agriculture, while sulphur dioxide gas can lead to acid rain and air pollution.

Positive Effects of Volcanoes

Volcanism creates new landforms. Volcanic rocks yield very fertile soil upon weathering and decomposition.

The Kimberlite rock of South Africa, the source of diamonds, is the pipe of an ancient volcano.

In the vicinity of active volcanoes, waters in the depth are heated from contact with hot magma giving rise to springs and geysers. The Puga valley in Ladakh region and Manikaran (Himachal Pradesh) are promising spots in India for the generation of geothermal electricity.

3.10.4 Distribution of Volcanoes across the World

Most known volcanic activity and the earthquakes occur along converging plate margins and mid-oceanic ridges. The major regions of volcanic distributions are as follows.

1. Pacific Ring of Fire

Circum-Pacific region, popularly termed the 'Pacific Ring of Fire', has the greatest concentration of active volcanoes. Volcanic belt and earthquake belt closely overlap along the 'Pacific Ring of Fire'. It is estimated to include two-thirds of the world's volcanoes.

TN_Govt_Geography_XI_Std Unit_03.indd 69 2/3/2020 4:22:52 PM