Sl.No	NURSING ACTION	RATIONALE
8	Apply mask to patient's face from nose to downward. Fit the metal piece of mask to conform to shape of nose.	To mask should be mould to face so that very little oxygen escapes into eyes or around cheeks or chin.
9	Secure elastic band around patient's head.	Ensure comfort of patient.
10	Apply padding behind ears as well as scalp where elastic band passes.	Padding prevents irritation to skin around area.
11	Ensure that safety precautions are followed	
12	Inspect patient and equipment frequently for flow rate clinical condition, level of water in humidifier, etc	Identifies complications if they develop.
13	Wash Hands.	Reduces risk of transmission of microorganisms.
14	Remove the mask and dry the skin every 2-3 hours if oxygen is administered continuously. Do not put powder around the mask.	The tight fitting mask and moisture from condensation can irritate the skin on the face.
15	Document relevant data in patient's record.	

Venturi mask

Special Considerations

1. The dosage of oxygen may be ordered as an FIO (Fraction of Inspired Oxygen) which is expressed as a percentage or as litres per minute.
2. The venturi mask will have colour-coded inserts that list the flow rate necessary to obtain the desired percentage oxygen.

Flow rates and oxygen concentrations delivered using venturi mask		
Nazzelcolour code	Flow rate (litres per minute)	Concentration of oxygen to be delivered
Blue	3 Lpm	24%
Yellow	6 Lpm	28%
White	8 Lpm	31%
Green	12 Lpm	35%
Pink	15 Lpm	40%
Orange	15 Lpm	50%





Oxygen administration by face mask

Nursing-Gen_Chapter 08.indd 145 07/05/18 12:56 PM